HEALTH BASICS

# Job stress management

Job stress management means reducing work pressures and supporting your ability to cope

**WHAT IT IS**
Practical ways to reduce and respond to work-related stress

**WHERE IT COMES UP**
Heavy workloads, low control, conflict, insecurity, or unsafe work

**WHY IT MATTERS**
Ongoing stress can affect mental and physical health

**WHAT IT IS NOT**
Not a disease or diagnosis

**WHO TO ASK**
Primary care, occupational health, employee assistance, or workplace representatives

**HOW IT IS CHECKED**
Discussion and questionnaires rather than one diagnostic test

## Overview

Job stress management is the process of identifying work pressures and finding practical ways to reduce or handle them. It is not a disease, diagnosis, or single treatment.

Some pressure at work can be temporary and manageable. Stress becomes more concerning when demands regularly exceed the time, resources, control, or support available to you. Common sources include excessive workload, long or unpredictable hours, unclear duties, bullying, discrimination, unsafe conditions, job insecurity, and conflict between work and home responsibilities.

Managing job stress is not only about becoming more resilient. Workplaces can often reduce stress by improving staffing, schedules, communication, safety, and employee control. Personal strategies may help, but they cannot make an unsafe or unreasonable situation acceptable.

Different people may respond differently to the same workplace. Your health, responsibilities outside work, past experiences, disability, and available support can all affect what feels manageable.

## How it works

When you face a demand or threat, your body releases stress hormones. These hormones increase alertness and prepare you to act. This short-term response can help you meet a deadline or respond to an emergency.

Problems may develop when the response is activated often and there is too little time to recover. You may stay mentally focused on work after your shift, sleep poorly, or feel unable to relax. This can make the next working day harder, creating a cycle of pressure and reduced recovery.

Several parts of a job can shape this response:

Job stress management works best when it addresses the source as well as your response. For example, relaxation may provide short-term relief, but a workload problem may also require changed deadlines, clearer priorities, or additional staffing.

- Demands: workload, pace, hours, emotional demands, or physical hazards
- Control: how much choice you have about tasks, timing, and methods
- Support: practical and emotional help from managers and colleagues
- Clarity: whether roles, priorities, and expectations are understood
- Fairness: how decisions, rewards, complaints, and opportunities are handled
- Security: whether your income, schedule, or employment feels stable

## Why it matters for your health

Ongoing work stress can affect sleep, mood, concentration, relationships, and daily habits. It may contribute to headaches, muscle tension, digestive upset, or feeling emotionally exhausted. These experiences can have many causes, so they do not prove that work is responsible.

Long-term workplace stress is also associated with mental and physical health problems. The relationship is complex: stress may affect the body directly, interfere with recovery, or make healthy routines harder to maintain. Existing health conditions can also make job demands more difficult.

Stress may lead some people to use more alcohol, nicotine, or other substances. Others may skip meals, stop exercising, or work while ill because they fear falling behind. These responses can provide brief relief or save time, but they may create additional health concerns.

Work can also support health. Fair treatment, safe conditions, reasonable demands, useful activity, social connection, and financial security can protect well-being. The aim is not to remove every challenge. It is to create demands that are realistic and matched with adequate control, resources, and recovery time.

## What can go wrong

Job stress is not itself a diagnosis. However, it can overlap with or contribute to situations that need separate attention.

Burnout is an occupational phenomenon linked to chronic workplace stress that has not been successfully managed. It involves exhaustion, increased mental distance or negativity toward work, and reduced professional effectiveness. It is not classified as a medical disease by the World Health Organization.

Anxiety disorders and depression are health conditions that can affect life both inside and outside work. Persistent low mood, loss of interest, intense worry, panic, or major difficulty functioning deserves a clinical assessment rather than being assumed to be "just stress."

Sleep disorders may need assessment when sleep problems continue, occur away from work, or seriously affect daytime safety. Shift work can disrupt the body's normal sleep-wake rhythm.

Substance-related problems can develop when alcohol, sedatives, stimulants like methylphenidate or lisdexamfetamine , or other substances become a main way of coping.

Workplace bullying, harassment, discrimination, violence, and unsafe conditions are organizational and safety concerns. Personal coping methods do not replace appropriate reporting, protection, or investigation.

Arrange routine follow-up with primary care or an occupational health service if stress is persistent, affects sleep or relationships, makes it difficult to work safely, or is accompanied by ongoing physical or emotional concerns.

Seek urgent help if you feel unable to keep yourself or someone else safe, or if you are thinking about suicide or self-harm. Use local emergency services or a crisis service. New severe chest pain, serious breathing difficulty, fainting, or signs of a stroke also need emergency assessment rather than being assumed to come from stress.

## What you can do

Start by identifying what is happening rather than trying to fix everything at once. For one or two weeks, keep a brief private record of:

Do not record confidential workplace or patient information on a personal device. The aim is to identify patterns, not to produce a medical diagnosis.

Choose one specific workplace issue to raise. You might ask your manager which tasks take priority, whether a deadline can change, or what resources are available. Clear questions are often more useful than saying only that work is stressful.

Possible workplace actions include adjusting workload, clarifying duties, changing schedules, taking protected breaks, improving equipment, or reducing exposure to conflict or hazards. An occupational health service may assess how work affects your health and suggest adjustments. A union representative, safety representative, human resources service, or employee assistance program may also help, depending on the issue. Ask how confidentiality is handled before sharing personal health information.

Outside work, protect recovery time where possible. Regular sleep times, movement, meals, and contact with supportive people can help. Brief breathing or relaxation exercises may reduce tension, but they are additions to-not replacements for-changes to harmful working conditions.

A primary care clinician can assess concerns that may have other causes and discuss treatment if a mental or physical health condition is present. There is no single blood test or scan for job stress. Questionnaires can help describe stress, mood, anxiety, sleep, or burnout, but they do not replace a fuller assessment.

If nothing at work can be changed immediately, the practical next step may simply be to document the concern, learn the reporting process, and seek support. You are not responsible for solving an organizational problem alone.

- Stressful tasks, times, or interactions
- Hours worked, breaks, and sleep
- What was within your control
- What helped or made the situation worse

## Common questions

Is all job stress harmful?

No. Short periods of pressure can be manageable and may support focus. Risk increases when demands are intense or prolonged and recovery, control, resources, or support are limited.

Is burnout the same as depression?

No. Burnout is specifically linked to the work setting. Depression is a medical condition that can affect mood, interest, thinking, sleep, and functioning across many parts of life. They can overlap, so persistent concerns may need assessment.

Should I leave my job?

There is no single right answer. Consider safety, finances, available adjustments, support, and how the work is affecting your health. Occupational health, a union, an employee assistance service, or a clinician may help you review options without deciding for you.

Can a stress questionnaire diagnose me?

No. A questionnaire can organize information and track change. It cannot by itself identify the cause or confirm a mental or physical health condition.

What if the main problem is bullying or discrimination?

Keep a factual record if it is safe to do so, including dates, events, witnesses, and reports made. Review workplace policies and consider support from a union, human resources service, occupational health service, labor authority, or relevant advocacy service. Reporting options and legal protections differ by location.

## Sources

- World Health Organization. WHO guidelines on mental health at work . 2022
- World Health Organization. Mental health at work . 2024
- World Health Organization. Burn-out an "occupational phenomenon": International Classification of Diseases . 2019
- US National Institute for Occupational Safety and Health. Stress at Work . Publication 99-101
- US Surgeon General. Framework for Workplace Mental Health and Well-Being . 2022
- National Institute for Health and Care Excellence. Mental wellbeing at work . Guideline NG212. 2022