HEALTH BASICS

Pedicle

A pedicle is a narrow stalk of bone or tissue that connects one structure to another.

WHAT IT IS
A narrow connection between two body structures

WHERE IT COMES UP
Spine imaging, surgical notes, and descriptions of tissue stalks

WHY IT MATTERS
Its location can affect stability, blood supply, or surgical planning

WHAT IT IS NOT
Not a disease or diagnosis

WHO TO ASK
Radiologist, surgeon, or clinician who ordered the test

HOW IT IS CHECKED
Imaging or direct examination, based on the body site

Overview

A pedicle is a narrow part that connects one body structure to another. The word comes from a term meaning "small foot" or "stalk." It describes anatomy rather than a disease.

The meaning depends on where the word appears. In a spine report, a pedicle usually means one of the short bridges of bone connecting the main part of a vertebra to its back portion. Vertebrae are the bones that form your spine.

In surgery, a pedicle may mean a stalk of tissue that contains blood vessels. For example, a surgeon may move a piece of skin, muscle, or other tissue while keeping its vascular pedicle attached. Vascular means related to blood vessels.

A growth attached by a stalk may also be described as pedunculated, with the stalk sometimes called its pedicle. The word only describes how the tissue is attached. It does not show whether the growth is harmless or harmful.

Because "pedicle" has several uses, the body part and the rest of the report are important. A note that simply mentions a pedicle may be describing normal anatomy.

How it works

Each vertebra has a thick front section called the vertebral body. Two bony pedicles extend backward from it, one on each side. They connect the vertebral body to other parts of the vertebra, including the structures that surround and protect the spinal cord or nearby nerves.

Together with other parts of the vertebra, the pedicles help form the spinal canal. This is the passage through which the spinal cord and nerve structures travel. Pedicles also help transfer forces between the front and back portions of a vertebra.

Their size and angle are not identical at every level of the spine. They also differ between people. These details matter when a surgeon plans where to place spinal hardware.

A pedicle screw is a type of surgical screw passed through a vertebral pedicle into the vertebral body. Screws may be connected to rods to hold parts of the spine in position while bones join, or fuse, after an operation. The pedicle is useful for this purpose because it provides a strong pathway into the vertebra.

A soft-tissue pedicle works differently. It may act as a living connection that carries arteries bringing blood into tissue and veins carrying blood away. Keeping that connection intact can help moved tissue survive after reconstructive surgery.

Why it matters for your health

The word "pedicle" often matters because of what is being described around it.

On a scan, a radiologist may comment on a vertebral pedicle's shape, bone density, alignment, or involvement in an injury or other process. The term itself is neutral. Words such as "intact" or "normal" are usually reassuring descriptions. Terms such as "fracture," "lesion," "erosion," or "hardware loosening" identify the issue that needs interpretation.

Pedicle anatomy is also important before and after spinal surgery. A surgeon considers the pedicle's width, direction, and relationship to nerves and blood vessels when planning screw placement. After surgery, imaging may be used to assess the hardware and surrounding bone.

In reconstructive surgery, the condition of a vascular pedicle can affect blood flow to a tissue flap. A flap is tissue moved from one place to another to cover or rebuild an area. The surgical team checks the flap using its appearance, temperature, blood flow signals, or other methods appropriate to the operation.

If a polyp or other growth has a pedicle, the stalk can influence how it is examined or removed. It does not, by itself, identify what type of growth is present. That may require imaging, direct examination, or laboratory study of a tissue sample.

What can go wrong

A pedicle is not an illness, but several conditions or situations can involve one.

A vertebral pedicle can fracture during major trauma. Less commonly, repeated strain or weakened bone may contribute to a stress injury. A fracture's importance depends on the spinal level, whether other parts of the vertebra are injured, and whether the spine remains stable.

Infection, a bone tumour, or cancer that has spread from elsewhere can sometimes involve a vertebral pedicle. Many imaging findings have other explanations, so a report cannot always determine the cause from one feature. Further imaging, comparison with older scans, or a biopsy may be considered when appropriate. A biopsy removes a small tissue sample for testing.

Some people have a pedicle that is small, unusually shaped, or absent from birth. This is an anatomical variation, not automatically a problem. It can change how an X-ray or scan looks and may affect surgical planning.

Pedicle screws can occasionally sit outside the intended bony pathway, loosen, or break. These findings do not all have the same meaning. Some require monitoring, while others may need treatment if they affect spinal stability, nearby nerves, blood vessels, or the success of a fusion.

After flap surgery, twisting, pressure, or a blood clot can interfere with flow through a vascular pedicle. Surgical teams provide specific instructions because prompt assessment may protect the transferred tissue.

A report mentioning a pedicle, without an injury or another abnormal finding, is not an emergency. Emergency assessment is appropriate after a neck or back injury if you develop new weakness, loss of movement, numbness around the groin or buttocks, or loss of bladder or bowel control. After surgery, contact the surgical service promptly for the wound or flap changes listed in your discharge instructions.

What you can do

You generally cannot feel, monitor, or test a vertebral pedicle yourself. No screening test is recommended simply because this anatomical term appears in a report.

If "pedicle" appears in your records, useful questions include:

Different imaging tests provide different information. X-rays show alignment and some bone or hardware changes. Computed tomography, or CT , gives detailed pictures of bone and can

show pedicle shape, fractures, and screw position. Magnetic resonance imaging, or MRI , is often more useful for bone marrow, discs, nerves, the spinal cord, and nearby soft tissues. The appropriate test depends on the clinical question; not every pedicle finding needs more imaging.

Keep a copy of the written report and any recommended follow-up date. If you have spinal hardware, knowing the operation date and spinal levels treated can help clinicians interpret later images.

After reconstructive surgery, follow the flap-monitoring instructions supplied by your surgical team. Do not press, massage, cool, heat, or otherwise manipulate the area unless your team has said this is safe.

- Which pedicle and body part does the report mean?
- Is this normal anatomy, an anatomical variation, or an abnormal finding?
- Does the finding affect nerves, spinal stability, blood flow, or hardware?
- Is comparison with an older scan useful?
- Is follow-up needed, and on what timeframe?

Common questions

Is a pedicle a type of bone?

Not always. A vertebral pedicle is bone, but the same word can describe a stalk of soft tissue or a bundle containing blood vessels.

Does "pedicle lesion" mean cancer?

No. "Lesion" means an area that looks different from surrounding tissue. Injury, infection, benign conditions, cancer, and imaging effects can produce different appearances. The full report and any recommended tests are needed to interpret it.

Are pedicle and peduncle the same thing?

Both words describe a stalk-like connection, and their use can overlap. "Pedicle" is common in spinal anatomy and surgery. "Pedunculated" often describes a polyp or growth attached by a stalk.

Does a pedicle screw replace the pedicle?

No. The screw is usually placed through the pedicle into the vertebral body. It uses the bone as a pathway and anchor.

Does every abnormal pedicle finding need treatment?

No. Some findings are normal variations or remain stable with observation. Others need further assessment because they relate to injury, disease, or surgical hardware. The report's complete wording determines the next step.

Sources

- National Cancer Institute Dictionary of Cancer Terms: Pedicle
- StatPearls, National Center for Biotechnology Information: Anatomy, Back, Vertebral Column
- RadiologyInfo.org, American College of Radiology and Radiological Society of North America: CT of the Spine
- RadiologyInfo.org, American College of Radiology and Radiological Society of North America: MRI of the Spine
- American Academy of Orthopaedic Surgeons, OrthoInfo: Spinal Fusion