CONDITION

Tonsil stones

Tonsil stones are small, hardened lumps of debris that form in pockets on the tonsils.

WHAT IT IS
Hardened debris trapped in pockets of the tonsils

BODY SYSTEM
Throat and mouth

MAIN SYMPTOMS
Bad breath, throat irritation, cough, swallowing discomfort

WHAT CAUSES IT
Trapped debris, microbes, and minerals

HOW IT IS DIAGNOSED
Throat examination, sometimes imaging for hidden stones

MAIN TREATMENT
Self-care, professional removal, or tonsil surgery

CAN IT BE CURED?
Sometimes - tonsil removal prevents recurrence

IS IT AN EMERGENCY?
Sometimes - breathing difficulty or inability to swallow saliva

LONG-TERM OUTLOOK
Usually harmless but may keep returning

Overview

Tonsil stones are small lumps that form in the natural pockets of your tonsils. The medical name is tonsilloliths.

Your tonsils are two pads of immune tissue at the back of your throat. Their surfaces contain folds and pits called tonsil crypts. Food particles, mucus, dead cells, saliva, and microbes can collect in these spaces. Over time, the material may harden as minerals such as calcium build up.

Tonsil stones are usually white or yellow. Some are no larger than grains of sand, while others become large enough to see or feel. They are not usually dangerous, but they can cause persistent bad breath, throat irritation, or the feeling that something is stuck in your throat.

Tonsil stones are different from tonsillitis. Tonsillitis is inflammation of the tonsils, often

caused by a viral or bacterial infection. A stone can sometimes occur alongside tonsillitis, but having a stone does not necessarily mean that your tonsils are infected.

Symptoms

Small tonsil stones may cause no symptoms. You might notice one when it comes loose during coughing, eating, or brushing your teeth.

Possible symptoms include:

Bad breath is common because microbes within a stone can produce strong-smelling sulfur compounds.

A stone may be hidden deep within a tonsil crypt. In this situation, you may have symptoms without being able to see a lump. Symptoms such as high fever, severe pain, neck swelling, or rapidly worsening difficulty swallowing are not typical of a simple tonsil stone and need medical assessment.

- Bad breath that persists despite brushing
- A white or yellow lump on a tonsil
- A feeling that something is caught in your throat
- Mild throat soreness or irritation
- Discomfort when swallowing
- Coughing or frequent throat-clearing
- An unpleasant taste
- Ear discomfort, even when the ear itself is healthy

Causes and risk factors

Tonsil stones develop when material becomes trapped in tonsil crypts and hardens. Microbes can grow within this material and form a biofilm, which is a structured community that sticks to a surface.

You may be more likely to develop stones if you have:

The shape of your tonsils is important. Some people naturally have deeper crypts, which makes material easier to trap and harder to clear. This means stones can return even with careful mouth care.

Tonsil stones are not cancer, and they are not usually a sign of poor health. They are also not considered a contagious condition. If tonsillitis is present at the same time, the infection causing it may be contagious.

- Deep or enlarged tonsil crypts
- A history of repeated tonsillitis
- Ongoing mucus draining down the throat
- Frequent mouth dryness
- Debris remaining around the teeth, gums, or tongue

Diagnosis

A healthcare professional can often identify a tonsil stone by looking at your mouth and throat. The stone may appear as a firm white or yellow lump within a tonsil crypt.

They may gently examine the area to distinguish a stone from pus, trapped food, a cyst, or another change in the tonsil. A dental professional may also notice a stone during an examination.

Imaging is not usually needed for a visible, uncomplicated stone. An X-ray or computed tomography (CT) scan may reveal a deeply buried or unusually large stone. Imaging may also be used when the cause of one-sided pain, swelling, or a neck lump is uncertain.

A white patch on a tonsil is not always a stone. Tonsillitis, oral thrush, and other conditions can have a similar appearance. Avoid trying to remove an unexplained patch before it has been assessed, especially if it is painful, bleeding, spreading, or accompanied by fever.

Treatment and management

Tonsil stones that do not cause problems usually need no treatment. Many loosen and come out by themselves.

For mild symptoms, you can try:

Some people use a low-pressure oral irrigator to rinse the tonsils. The tissue is delicate, so pressure should be kept low and the device should not be pushed into a tonsil crypt. Stop if you develop pain or bleeding.

Do not dig into your tonsils with fingernails, metal tools, toothpicks, or other sharp objects. This can cause bleeding, infection, or injury. Forceful squeezing can also push material deeper into

the tissue.

A healthcare professional may be able to remove a troublesome stone in a clinic. This may be considered when a stone is large, difficult to reach, or causing ongoing discomfort.

Antibiotics do not remove the structure of a tonsil stone and are not routinely used for stones alone. They may be prescribed if a separate bacterial infection is diagnosed.

If stones repeatedly cause significant symptoms, an ear, nose, and throat specialist may discuss procedures that reduce tonsil crypts or remove the tonsils. Tonsil removal, called tonsillectomy, prevents tonsil stones because the tonsil tissue is no longer present. However, it is an operation with a painful recovery and a risk of bleeding, so it is generally considered only when symptoms justify those risks.

- Gargling with warm salt water
- Gargling after meals to help clear loose debris
- Brushing your teeth and tongue regularly
- Flossing or cleaning between your teeth
- Drinking enough water to limit mouth dryness

Complications

Most tonsil stones remain small and cause no lasting harm.

Possible problems include persistent bad breath, repeated throat irritation, swallowing discomfort, or inflammation around the stone. Very large stones can occasionally affect swallowing or become difficult to remove.

Trying to remove a stone aggressively can tear the tonsil. This may cause bleeding, swelling, or infection. Minor spotting that stops quickly may follow gentle contact, but continued or heavy bleeding needs urgent medical attention.

Symptoms blamed on tonsil stones may sometimes have another cause. Persistent one-sided tonsil enlargement, a neck lump, unexplained weight loss, or a sore that does not heal should be assessed rather than repeatedly treated at home.

Prevention

Tonsil stones cannot always be prevented. If you have naturally deep tonsil crypts, debris may continue to collect despite good mouth care.

You may be able to reduce how often they form by brushing twice a day, cleaning between your teeth, cleaning your tongue, and gargling after meals. Staying hydrated can reduce thick saliva and mouth dryness. Regular dental care may help identify gum disease, tooth decay, or other causes of bad breath.

If mucus often drains down the back of your throat, managing the underlying nasal or sinus problem may reduce the material reaching your tonsils. A healthcare professional can help identify the cause rather than assuming every throat symptom comes from stones.

Tonsillectomy is the only way to prevent stones from forming in tonsil tissue altogether, but surgery is not usually needed for occasional or minor stones.

Living with it and what to expect

Tonsil stones may appear once, come and go, or recur over months and years. A stone may gradually enlarge, remain unchanged, or loosen without treatment. Its presence does not mean that your tonsils are steadily being damaged.

For many people, occasional gargling and regular mouth care are enough to keep symptoms manageable. Others continue to have bad breath or throat irritation because their tonsil crypts repeatedly fill with debris.

Check your tonsils only when symptoms occur rather than repeatedly pressing or scraping them. Frequent manipulation can leave the tissue sore and make it harder to tell whether symptoms are coming from the stone or from irritation.

If stones continue to affect eating, sleep, work, or social confidence, arrange a routine assessment. A clinician can check for other causes of bad breath and discuss whether professional removal or referral to an ear, nose, and throat specialist is reasonable.

The long-term outlook is usually good. Stones are generally harmless, although they can continue to return unless the tonsils are removed.

When to get medical help

Arrange a routine appointment with a healthcare or dental professional if:

Seek prompt medical assessment if you develop severe or rapidly worsening throat pain, fever with marked swelling, difficulty opening your mouth, a muffled voice, or drooling. These can occur with a deeper infection, such as an abscess beside a tonsil, rather than a simple stone.

Get emergency help if you have trouble breathing, cannot swallow your saliva, or have heavy or

continuing bleeding from the throat.

- Bad breath continues despite good mouth care
- Stones return often or are difficult to remove safely
- Throat pain or swallowing discomfort persists
- You are unsure whether a white area is a stone
- One tonsil remains larger than the other
- You have a persistent neck lump or unexplained ear pain

Common questions

Can I remove a tonsil stone myself?

Small, loose stones may come out with gentle gargling. Avoid sharp tools, forceful squeezing, or high-pressure water because tonsils bleed easily. If a stone is deep, painful, or difficult to reach, professional removal is safer.

Why do my tonsil stones smell so bad?

Microbes within the stone break down trapped material and can release sulfur-containing gases. These gases have a strong odor and may cause bad breath even when your teeth are clean.

Are tonsil stones contagious?

No. You cannot pass a tonsil stone to another person. However, a viral or bacterial throat infection occurring at the same time may be contagious.

Do tonsil stones mean I have tonsillitis?

Not necessarily. A stone is a hardened collection of debris, while tonsillitis is inflammation of the tonsils. You can have either condition by itself or both at the same time.

Will antibiotics get rid of tonsil stones?

Antibiotics do not remove a stone and are not normally used for stones alone. They may be appropriate when a healthcare professional diagnoses a separate bacterial infection.

Can tonsil stones grow back after removal?

Yes. Removing a stone does not remove the crypt where it formed, so another stone may develop. Tonsillectomy prevents recurrence by removing the tonsils, but surgery is usually reserved for persistent, significant symptoms.

Sources

- American Academy of Family Physicians: Tonsillitis and Tonsilloliths-Diagnosis and Management , American Family Physician , 2023
- Cleveland Clinic: Tonsil Stones , patient information on symptoms, diagnosis, and treatment
- Bai KY, Kumar BV. Tonsillolith: A polymicrobial biofilm . Journal of Indian Society of Periodontology . 2012;16(3):425-428
- Stoodley P, Debeer D, Longwell M, and colleagues. Tonsillolith: Not just a stone but a living biofilm . Otolaryngology-Head and Neck Surgery . 2009;141(3):316-321
- Ferguson M, Aydin M, Mickel J. Halitosis and the tonsils: A review of management . Otolaryngology-Head and Neck Surgery . 2014;151(4):567-574